



# GARAGE DOORS

**WINDCODE**

**ARE YOU READY FOR THE STORM?**



*Canyon Ridge® Carriage House 4-Layer, Design 11;  
Shown in Ultra-Grain® Cypress Medium Finish with REC14 Windows*



**ACCENT** the beauty of **YOUR HOME**

*A guide to choosing a garage door as beautiful as your home*



# Clopay, the right choice for your home.

- Clopay is North America's largest and most trusted garage door brand
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important – and Clopay has the widest selection available
- Clopay garage doors are designed and manufactured in the USA



*Gallery® Steel Long Panel Design  
with ARCH1 Grille Windows*





# DESIGN, VISUALIZE AND PURCHASE A NEW CLOPAY GARAGE DOOR

Use the Garage Door Configurator  
to design from any of your devices

Upload a photo of your home.

See which style offers you the look  
you want. With just a few simple  
clicks, you can visualize the  
transformation and make it a reality.



[homedepot.com/garagedoors](https://www.homedepot.com/garagedoors)





America's Favorite Garage Doors®



Coachman® Design 21 with SQ24 Windows

1

### CHOOSE YOUR GARAGE DOOR SIZE

Garage door sizes are generally categorized as single or double car doors

Single Car Door



Double Car Door





## 2 CHOOSE YOUR GARAGE DOOR

**CANYON RIDGE®**  
CARRIAGE HOUSE 4-LAYER



- Stained wood-look steel doors with composite overlays
- Available in our BEST construction

Overlay Detail

**COACHMAN®**



- Painted wood-look steel doors with composite overlays
- Available in our GOOD and BEST construction options

Overlay Detail


**GALLERY® STEEL**



- Grooved panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

Panel Detail

**CLASSIC™ STEEL**



- Classic raised panel steel doors
- Available in our BASIC, GOOD, BETTER and BEST construction options

Panel Detail

## 3 CHOOSE YOUR CONSTRUCTION

The construction and insulation type improves energy efficiency, durability and noise control of the door

**BEST**



intelli core



ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **BEST** construction is made using 2" IntelliCore® insulation between two layers of steel.  
R-Value\* = 18.4

**BETTER**



intelli core



ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **BETTER** construction is made using 1-3/8" IntelliCore® insulation between two layers of steel.  
R-Value\* = 12.9

**GOOD**




ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **GOOD** construction is made using 1-3/8" polystyrene insulation between two layers of steel.  
R-Value\* = 6.5

**BASIC**




ENERGY EFFICIENCY DURABILITY NOISE CONTROL

Our **BASIC** construction is made using one layer of durable steel.  
R-Value\* = 0.0

\*Calculated door section R-value is in accordance with DASMA TDS-163.

## 4 DESIGN, VISUALIZE AND PRICE

Design your door in store or in your home




[homedepot.com/garagedoors](http://homedepot.com/garagedoors)



# DETERMINE YOUR WINDCODE® RATING

Clopay assigns a WINDCODE® “W” rating to our doors based on code requirements determined by wind speed in miles per hour (MPH), home exposure and home structural type.

## DETERMINE YOUR WIND SPEED IN FLORIDA




**EXPOSURE B** – Typical suburban or urban area, or wooded terrain.

Structural Type	115 MPH	120 MPH	130 MPH	140 MPH	150 MPH	160 MPH	170 MPH	180 MPH	190 MPH	200 MPH
One story	W1	W2	W3	W3	W4	W5	W5	W6	W6	W7
Two story	W1	W2	W3	W3	W4	W5	W5	W6	W6	W7

**EXPOSURE C** – Open terrain and hurricane shorelines. All of Miami-Dade and Broward Counties are Exposure C.

Structural Type	115 MPH	120 MPH	130 MPH	140 MPH	150 MPH	160 MPH	170 MPH	175 MPH*	180 MPH	190 MPH	200 MPH
One story	W2	W3	W3	W4	W5	W5/W6	W6/W7	W6/W7	W6/W7	W7	W8
Two story	W3	W3	W4	W5	W5/W6	W6	W6/W7	W7/W8	W7/W8	W8	W9

\*Miami-Dade County




### WIND-BORNE DEBRIS AREA

The wind-borne debris area requires impact rated windows

The wind-borne debris region requires the large missile impact rated windows. Miami-Dade and Broward Counties require all garage doors meet the large missile impact rating, regardless if the garage door has windows or not. Insurance companies sometimes give discounts for garage doors and other exterior building products that exceed the local building code, including meeting wind-borne debris requirements not mandated. This means that installing a new garage door with the large missile impact rating may reduce your insurance premiums. Please check with insurance agent for details.

# DETERMINE YOUR WIND SPEED IN TEXAS AND NORTH CAROLINA




**EXPOSURE B** – Typical suburban or urban area, or wooded terrain.

Structural Type	90 MPH	100 MPH	110 MPH	120 MPH	130 MPH	140 MPH	150 MPH
One story	W1	W3	W3	W4	W5	W6	W7
Two story	W1	W3	W3	W4	W5	W6	W7

**EXPOSURE C** – Open terrain and hurricane shorelines.

Structural Type	90 MPH	100 MPH	110 MPH	120 MPH	130 MPH	140 MPH	150 MPH
One story	W1	W3/W4	W4	W5	W6	W7	W8
Two story	W1	W4	W5	W6	W7	W7	W8



## NORTH CAROLINA

To determine the exact wind rating required, contact your local building department.

## TEXAS


To determine the exact wind rating required, contact the Texas Department of Insurance at 800-248-6032 or email [windstorm@tdi.state.tx.us](mailto:windstorm@tdi.state.tx.us).



# WINDCODE® GARAGE DOORS

## STORM READY® – NO POSTS, PINS OR EXTRA SETUP. JUST CLOSE AND LOCK YOUR DOOR.

- WINDCODE® BENEFITS**
- No attachments to the floor or structure required
  - No extra posts, pins, parts or setup necessary
  - Storm ready, simply close and lock your door

STANDARD GARAGE DOOR	WINDCODE® GARAGE DOORS
	 <ul style="list-style-type: none"> <li><b>A</b> Patented T-Strut design strengthens door.</li> <li><b>B</b> Heavy-duty commercial grade track provides additional strength and durability.</li> <li><b>C</b> Commercial-duty steel rollers and hardware withstand more severe wind pressures.</li> </ul>

### CLOPAY'S WINDCODE® GARAGE DOORS

Clopay's WINDCODE® garage doors are designed to help withstand high winds resulting from tropical storms and other strong wind-related weather events. This user-friendly system assists you in selecting the right garage door for your area and building structure.

### DESIGN OPTIONS

Clopay's WINDCODE® product offering has the widest range of panel styles, colors and window designs available today. Accent the design of your home while providing the protection you need against strong winds. Choose from various panel designs and designer or decorative windows for that extra curb appeal. Impact-resistant windows are available in many different colors and wind load levels.


### DESIGNED AND TESTED TO WITHSTAND STRONG WINDS

All Clopay's WINDCODE® doors have been designed and tested to meet various code requirements. Additional interior horizontal steel reinforcement along with increased hardware and springing components are installed so your door is ready when a storm hits. No posts or pins are required to secure your door if you are not there. Just lock your door.





# HIGH R-VALUES



## intellibcore® insulation technology




**ENERGY EFFICIENCY**  
Provides year-round comfort



**18.4 R-Value**  
Highest R-value in its class



**NOISE CONTROL**  
Dense insulation reduces operating noise



**THERMAL BREAK**  
Separates steel skins to improve energy efficiency



**DURABILITY**  
Enhanced strength increases durability



**RUST PREVENTION**  
Layered coating system helps protect steel skins

Available on the following garage doors:



CANYON RIDGE®  
CARRIAGE HOUSE  
4-LAYER

COACHMAN®

GALLERY® STEEL

CLASSIC® STEEL

# CANYON RIDGE® CARRIAGE HOUSE



*Design 21 with REC11 Windows in Ultra-Grain® Cypress Slate Finish with Clear Cypress Overlays in Black Finish*

## AVAILABLE DESIGNS

### Series 1



Design 11

### Series 2



Design 21

### Series 3



Design 31



Design 32




Design 33



Design 12



Design 22



Design 34



Design 35



Design 36



Design 13



Design 23



Design 37



Design 38

*All doors shown in Medium Finish with Clear Cypress overlays.*



# 4-LAYER



**BEST**




**18.4**  
R-Value

## 4-LAYER MODELS

2" Intellcore® Polyurethane Insulation

## AVAILABLE OPTIONS


### Top Section/Window Options



\*Impact rated windows available.


Window grilles are Clear Cypress texture. Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following widths only: 6'2", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".

### Material Design Options



Composite cladding is not present on Carriage House 4-Layer doors. Due to the printing process, above colors may vary.

### Colors



\*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays.

Two-tone doors are available. Doors can be ordered primed for those homeowners wishing to custom paint their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.

### Size/WINDCODE® Availability

Width	2" Models	For W6/W8 doors over 9' wide, add 2" to the door opening.
Up to 9'	W1, W4*, W5*, W6*, W8*	
10' to 16'	W1, W4*, W5*, W6*, W8*	
18'	W1, W4*, W6*	*Florida approved.

### Decorative Hardware



Optional hardware available; see pages 16-17.

### Warranties







Design 21 with REC13 Windows

## AVAILABLE DESIGNS

### Series 1




Design 11

### Series 2



Design 21

### Series 3



Design 31




Design 32

### Series 4




Design 41



Design 12



Design 22




Design 33



Design 34



Design 42




Design 13




Design 23



Design 35



Design 36



Design 43



**BEST**

**18.4**  
R-Value

**CXU MODELS**  
2" IntelliCore®  
Polyurethane Insulation


**GOOD**

**6.5**  
R-Value

**CF MODELS**  
1-3/8" Polystyrene  
Insulation


## AVAILABLE OPTIONS

### Top Section/Window Options



\*Impact rated windows available.  
Series 3 and 4 not available with windows. Windows are standard with 1/8" double strength clear glass or optional obscure glass with removable insert grilles.

### Colors



Door and overlay colors may be mixed and matched. Due to the printing process, colors may vary.  
**IMPORTANT:** For doors being painted black and very dark colors (having an LRV of 12 or less) contact us for special product. For colors having an LRV of 13 to 38 we require the use of tested and approved paints. A list of tested and approved paints can be found at: <http://info.garagedoors.com/lrv>.

### Decorative Hardware Additional hardware options available; see pages 16–17.



### Size/WINDCODE® Availability

Width	CF Models	CXU Models	
Up to 9'	W1, W5*†	W1, W6*†, W8*†	For W6/W8 doors over 9' wide, add 2" to the door opening.
10' to 16'	W1, W4*†	W1, W5*†, W6*†, W8*†	*Florida approved. †Texas approved.
18'	W1	W1, W6*†	

### Warranties





# GALLERY® STEEL



Long Panel Design with Long Rectangular Grille Windows in Charcoal

## AVAILABLE DESIGNS



GR2SU/GR1SU/GR1SP/GR5S  
Short Panel



GR2LU/GR1LU/GR1LP/GR4L  
Long Panel

### Size/WINDCODE® Availability

Width	GR2SU/LU	GR1SU/LU	GR1SP/LP	GR5S	GR4L
Up to 9'	W1, W6, W8	W1	W1, W3, W5	W1, W4, W5, W6	W1, W4*, W6*
9'2" to 16'	W1, W6, W8	W1	W1, W3, W5	W1, W4, W5, W6	W1, W4*, W6*
16'2" to 18'	W1, W6, W8	W1	W1	W1, W4, W5, W6	W1, W4*

For W6/W8 doors over 9' wide, add 2" to the door opening. All doors W3–W8 are Florida approved. \*Texas approved.

### Warranties

<b>LIFE</b> Manufacturer Paint System Warranty GR2SU/GR2LU/ GR1SU/GR1LU/ GR1SP/GR1LP/GR4L	<b>15 Year</b> Manufacturer Paint System Warranty GR5S	<b>10 Year</b> Manufacturer Windows Warranty ALL MODELS	<b>3 Year</b> Manufacturer Hardware Warranty
---	--	---	---

## AVAILABLE OPTIONS

### Colors

Due to the printing process, colors may vary.

Standard White	Almond	Desert Tan	Sandtone	Bronze*	Chocolate**
Mocha Brown*	Charcoal*	Black†	Lustra™ Black‡	Lustra™ Charcoal‡	Lustra™ Silver‡
Ultra-Grain® Oak Medium Finish*	Ultra-Grain® Oak Dark Finish*	Ultra-Grain® Oak Walnut Finish†	Ultra-Grain® Oak Slate Finish‡		

\* Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP and GR1LP.

\*\* Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP, GR1LP and GR5S.

† Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP, GR1LP and GR4L.

‡ Available on Models GR2SU and GR2LU.

Black, Lustra and Ultra-Grain color options are available at an additional charge.

Exterior steel on standard color doors has a natural woodgrain texture. Lustra™ finish has a smooth texture.

Exterior steel surface on an Ultra-Grain® finish door has a stucco texture. (Model GR4L has a woodgrain texture)

### Decorative Hardware

Additional hardware options available; see pages 16–17.







#### INCLUDED



#### OPTIONAL


























BEST	BETTER	GOOD	BASIC
			
			
<b>18.4</b> R-Value	<b>12.9</b> R-Value	<b>6.5</b> R-Value	<b>0.0</b> R-Value
<b>GR2SU/GR2LU</b> 2" Intellicore® Polyurethane Insulation	<b>GR1SU/GR1LU</b> 1-3/8" Intellicore® Polyurethane Insulation	<b>GR1SP/GR1LP</b> 1-3/8" Polystyrene Insulation	<b>GR4L/GR5S</b> Non-Insulated

## ADDITIONAL OPTIONS

**Windows**

 Plain Short*	 Plain Long*	 ARCH1 Plain	 ARCH2 Plain
 Short with Rectangular Grilles	 Long with Rectangular Grilles	 ARCH1 with Vertical Grilles	 ARCH2 with Vertical Grilles
 Short with Square Grilles*	 Long with Square Grilles*	 ARCH1 with Grilles	 ARCH2 with Grilles
 Wrought Iron Short	 Kristin® Short	 Trenton® Short	 Clayton™ Short
 Wrought Iron Long	 Kristin® Long	 Trenton® Long	 Clayton™ Long
 Wrought Iron ARCH	<p><small>* Impact rated windows available. Windows are standard with 1/8" double strength clear glass or optional obscure glass with or without snap-in grilles. Insulated double strength and obscure options are available ONLY on Best, Better and Good construction doors.</small></p>		





# DECORATIVE HARDWARE



Hardware Description		Availability		
		COACHMAN®	CANYON RIDGE® CARRIAGE HOUSE 4-LAYER	GALLERY® STEEL
1	Standard Spade Lift Handles	✓	✓	✓
2	Standard Spade Step Plate	✓	✓	✓
3	Spade Strap Hinge*	✓	✓	✓
4	Twisted "L" Handles	✓	✓	✓
5	Twisted "T" Handle			✓
6	Escutcheon Plate(s)	✓	✓	✓
7	Spear Lift Handles	✓	✓	✓
8	Spear Step Plate	✓	✓	✓
9	Spear Strap Hinge*	✓	✓	✓
10	Colonial Lift Handles	✓	✓	✓
11	Colonial Step Plate	✓	✓	✓
12	Colonial Strap Hinge*	✓	✓	✓
13	Decorative Handles with Keyhole	✓	✓	
14	Ring Door Knocker	✓	✓	

\*Door may not open properly if installed near the top, depending on opening dimensions and lift type.

Attractive black powder coated handles and step plates are provided standard to further enhance the carriage house design. Optional antique hardware, including handles, operable L-keylocks and strap hinges, is available to provide the look of a classic carriage house door.



## CLOPAY STEEL paint colors

Now you are able to match your home's exterior trim, windows, doors or other accents to any of the sixteen Clopay steel garage door colors! Visit the Paint Desk at The Home Depot and give them the CBP code to get an exact color match in BEHR MARQUEE®, BEHR ULTRA™ or BEHR PREMIUM PLUS® exterior paint. (BEHR, GOOD. BETTER. BEHR, BEHR MARQUEE, BEHR ULTRA and BEHR PREMIUM PLUS are trademarks of Behr Process Corporation of California.)



<b>White</b> CBP-1	<b>Almond</b> CBP-2	<b>Desert Tan</b> CBP-3	<b>Sandtone</b> CBP-4	<b>Bronze</b> CBP-9	<b>Chocolate</b> CBP-5	<b>Mocha Brown</b> CBP-11	<b>Hunter Green</b> CBP-6
<b>Gray</b> CBP-7	<b>Charcoal</b> CBP-17	<b>Black</b> CBP-8	<b>Medium Finish</b> CBP-15	<b>Cherry Finish</b> CBP-12	<b>Dark Finish</b> CBP-13	<b>Walnut Finish</b> CBP-14	<b>Slate Finish</b> CBP-16




# CLASSIC™ STEEL




Short Elegant Panel Design with Colonial 509 Windows

## AVAILABLE DESIGNS



**HDP20/HDP13/2050**  
Short Elegant Panel



**HDB** | Short Traditional Panel



**HDPL20/HDPL13/2053**  
Long Elegant Panel



**HDBL** | Long Traditional Panel



Elegant  
Panel Detail



Traditional  
Panel Detail

## AVAILABLE OPTIONS

### Colors

*Due to the printing process, colors may vary.*



Standard White

Almond

Desert Tan

Sandtone



Bronze†

Chocolate

Mocha Brown\*

Hunter Green\*



Gray\*

Charcoal\*

Black†



Ultra-Grain® Classic  
Medium Finish\*

Ultra-Grain® Classic  
Cherry Finish\*

Ultra-Grain® Classic  
Walnut Finish\*







*\* Available on Models HDP20, HDPL20, HDP13 and HDPL13.*

*† Available on Models HDP20, HDPL20, HDP13, HDPL13, 2050 and 2053.*

*Black and Ultra-Grain color options are available at an additional charge.*
















*Exterior steel on standard color doors has a natural woodgrain texture.*

*Exterior steel surface on an Ultra-Grain® finish door has a stucco texture.*

<b>BEST</b>	<b>BETTER</b>	<b>GOOD</b>	<b>BASIC</b>
			
			
<b>18.4</b> R-Value	<b>12.9</b> R-Value	<b>6.5</b> R-Value	<b>0.0</b> R-Value
<b>HDP20/HDPL20</b> 2" Intellicore® Polyurethane Insulation	<b>HDP13/HDPL13</b> 1-3/8" Intellicore® Polyurethane Insulation	<b>2050/2053</b> 1-3/8" Polystyrene Insulation	<b>HDB/HDBL</b> Non-Insulated

## ADDITIONAL OPTIONS

**Windows** *Below is a sampling of windows available on the Classic™ Steel. See pages 20–21 for complete window offering.*

 Plain Short*	 Charleston 508*	 Madison 611	 Sunset 503*
 Plain Long	 Charleston 608	 Madison Arch 613	 Sunset 603
 Colonial 509*	 Prairie 510*	 Sunset 501*	 Sunset 601
 Stockton 612	 Prairie 610	 Sunset 605	

\*Impact rated windows available.

Size/WINDCODE® Availability				
Width	HDP20, HDPL20	HDP13, HDPL13	2050, 2053	HDB, HDBL
Up to 9'	W1, W4, W5, W6, W8	W1, W3, W6	W1, W3, W6	W1
9'2" to 16'	W1, W4, W6, W8	W1, W3, W5	W1, W3, W5	W1
16'2" to 18'	W1, W4, W6, W8	W1	W1	W1

For W6/W8 doors over 9' wide, add 2" to the door opening. All doors W3–W8 are Florida approved.

**Warranties**

<b>LIFE</b> Manufacturer Paint System Warranty	<b>15 Year</b> Manufacturer Paint System Warranty	<b>10 Year</b> Manufacturer Windows Warranty	<b>3 Year</b> Manufacturer Hardware Warranty
HDP20/HDPL20/ HDP13/HDPL13/ 2050/2053	HDB/HDBL	ALL MODELS	

# WINDOWS

## Plain Series



Plain Short\*



Plain Long

- Available in non-insulated single pane glass, clear acrylic or obscure glass on any model
- Insulated double pane glass and obscure glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only

\*Impact rated windows available.

## Snap-In Series



Charleston 508\*



Prairie 510\*



Colonial 509\*



Charleston 608



Prairie 610



Stockton 612



Madison 611



Sunset 501\* (4, 6, 8 or 10 panels across)



Sunset 502\* (3, 6 or 9 panels across)



Madison Arch 613



Sunset 503\* (4 or 8 panels across)



Sunset 601 (2, 3, 4 or 5 long panels across)



Sunset 505\* (8 panels across only)



Sunset 506\* (5 or 10 panels across)



Sunset 504\* (7 panels across only)



Sunset 603 (2 or 4 long panels across)



Sunset 605 (4 long panels across)

- Snap-In inserts are made of tough UV-protected plastic
- Inserts snap into the inside or outside frame of plain windows, changing the look in minutes
- Inserts come in 15 colors to match the color of the door; Sunset windows not available on Ultra-Grain® finish doors

*Due to the printing process, colors may vary.*

\*Impact rated windows available.



## Architectural Series



Plain Short\*



Short with Rectangular Grilles



Short with Square Grilles\*



Plain Long\*




Long with Rectangular Grilles



Long with Square Grilles\*



ARCH1 Plain



ARCH1 with Vertical Grilles



ARCH1 with Grilles




ARCH2 Plain




ARCH2 with Vertical Grilles



ARCH2 with Grilles




Trenton® Short†




Trenton® Long†



Wrought Iron Short†




Kristin® Short†




Kristin® Long†



Wrought Iron Long†



Clayton™ Short†



Clayton™ Long†



Wrought Iron ARCH†

- Architectural Series windows feature a larger viewing area
- Insulated glass available on Classic™ Steel Models HDP20, HDPL20, HDP13 and HDPL13 only

\*Impact rated windows available.

†Classic, elegant leaded design provides privacy while allowing sunlight to pass through.

‡Wrought Iron acrylic windows not available insulated.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit [clopaydoor.com/acrylic](http://clopaydoor.com/acrylic) for complete details.

## Window Location



Top Section



Second from Top

- Short windows available over short and flush panels (all widths)
- Long windows available over long panels (all widths)
- Long windows available over short and flush panels (8', 9', 16' and 18" widths only)
- Most windows come standard in top section
- Most windows available in top and second from top section

\*18' not available on Model 2050.

## Impact Rated windows



Plain Short Window



- Meets Florida Building Code requirements for high-velocity hurricane zones and wind-borne debris regions
- Structurally enhanced window frames with UV protected glazing

# EXPLORE more door options



Scan to learn more



## MODERN STEEL™



## BRIDGEPORT™ STEEL



## CANYON RIDGE® CARRIAGE HOUSE 5-LAYER, CHEVRON, LOUVER & MODERN



## AVANTE®

AVANTE® & AVANTE® SLEEK



## RESERVE® WOOD

LIMITED EDITION, SEMI-CUSTOM & MODERN





# CONSIDER a commercial door



## SHALLOW RIBBED doors

Three-layer sandwich construction available with Intellicore® polyurethane or polystyrene insulation.



Scan to learn more



## DEEP RIBBED doors

Two and one-layer construction with environmentally safe polystyrene insulation conformed to panel.



Scan to learn more



## ROLL-UP doors

Constructed from 26 gauge sheets, interlocked and seamed together to make a continuous curtain for full height of door.



Scan to learn more



Explore all of the garage door designs and insulation options Clopay has to offer.

See a store associate or scan here to view the Clopay garage door configurator.



[HomeDepot.com/GarageDoors](https://www.homedepot.com/GarageDoors)



## PROFESSIONAL INSTALLATION

### Let Our Qualified Experts Install Your Door Professional Installation Includes:



### What To Expect

- Order your new garage door (*Visit, Click or Call*)
- We'll perform a site inspection to confirm your door size
- We'll contact you to schedule the installation
  - Many popular sizes and models\* installed within 10 days after site inspection
  - Custom "made-to-order" garage doors installed within 4 weeks after site inspection

\*Ask an Associate for model and size availability in your market.

\*Clean up and haul away old door(s) and answer homeowner's questions. Additional fees for haul away may apply in some markets.

#### FLORIDA MARKETS

Cost of permits and administrative fees are INCLUDED.

Customer is required to be present at final inspection.

## INSTALL-IT-YOURSELF

### Need a Door Today?

- Ask an Associate for our selection of "In-Stock" doors
- Load it up and take it home today



### Want a "Custom" Look for Your Home?

- Bring in your measurements and choose from thousands of styles, sizes and options
- We'll deliver your door in 4 weeks, FREE HOME DELIVERY included



## PURCHASE OPTIONS



**VISIT**

Visit your local Home Depot store



**CLICK**

Go to [HomeDepot.com/GarageDoors](https://www.homedepot.com/GarageDoors)




**CALL**

Call 1-800-HOMEDEPOT (466-3337)

**SPECIAL NOTES:** In-Stock doors not available in every market. Additional fees apply for deliveries greater than 30 drive miles from store location.

Please note that Bridgeport™ Steel, Reserve® Wood, Canyon Ridge® and Avante® doors are available ONLY professionally installed.

## HOW TO MEASURE YOUR DOOR



1. Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.

Width: \_\_\_\_\_

Height: \_\_\_\_\_

2. Measure for sideroom: 4-1/2" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET® torsion spring. 5-1/2" is required for EZ-SET® extension spring.

Sideroom: \_\_\_\_\_

3. Measure area labeled "headroom" – distance between the top of the door opening (jamb header) and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® extension spring; 12" on standard torsion springs and EZ-SET® torsion spring. 14-1/2" of headroom required for carriage house doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® extension spring). EZ-SET® torsion spring low headroom requirement is 9".

Note: If door height extends above the opening, the headroom measurement should be adjusted accordingly.

Existing headroom: \_\_\_\_\_

Headroom needed: \_\_\_\_\_

4. Measure area labeled "backroom" – distance is measured from the garage door opening toward the back wall of the garage.

Backroom: \_\_\_\_\_

Common garage door sizes include 8' wide × 7' high, 9' wide × 7' high, and 16' wide × 7' high. Clopay manufactures most doors in nearly any size you require.

Follow us on MADE IN USA

©2024 Clopay Corporation. All rights reserved. Printed in U.S.A.  
In the interest of better quality and value, we are continually improving and updating our products. Consequently, photos and illustrations may sometimes differ from present models.

D3078823-CLO-01E  
REHD-WCCAT-17\_REV0424